

## Contents

|   |     |
|---|-----|
| Foreword .....  | v   |
| <i>1. SOLID STATE REACTIONS</i>   |     |
| Crystal-to-glass transformation in metallic materials .....   | 1   |
| W. L. Johnson (Pasadena, CA, U.S.A.)  |     |
| Formation of amorphous metals by mechanical alloying .....  | 15  |
| L. Schultz (Erlangen, F.R.G.)   |     |
| Formation of amorphous Ni-Zr powders by mechanical alloying .....   | 25  |
| F. Petzoldt, B. Scholz and H.-D. Kunze (Bremen, F.R.G.)   |     |
| Formation of powdered Hf-Ni, Hf-Cu and Hf-Ru materials by mechanical alloying methods .....   | 31  |
| J. R. Thompson (Knoxville, TN, U.S.A.), C. Politis (Karlsruhe, F.R.G.) and Y. C. Kim (Knoxville, TN, U.S.A.)  |     |
| Amorphization of RFe <sub>2</sub> Laves phases by hydrogen absorption .....   | 35  |
| K. Aoki, A. Yanagitani, X.-G. Li and T. Masumoto (Sendai, Japan)  |     |
| Formation and properties of mechanically alloyed amorphous Fe-Zr .....  | 39  |
| E. Hellstern and L. Schultz (Erlangen, F.R.G.)  |     |
| X-ray diffraction study of the amorphization process by mechanical alloying of the Ni-Ti system .....   | 43  |
| G. Cocco (Sassari, Italy), S. Enzo (Venice Italy), L. Schiffini (Sassari, Italy) and L. Battezzati (Turin, Italy)   |     |
| New amorphous Cu-Nb-(Si, Ge or Sn) alloys prepared by mechanical alloying of elemental powders .....  | 47  |
| K. Matsuki, A. Inoue, H. M. Kimura and T. Masumoto (Sendai, Japan)  |     |
| Mechanically alloyed amorphous metallic powders with second phase particles .....   | 53  |
| H. Kimura (Yokosuka, Japan) and F. Takada (Tokyo, Japan)  |     |
| Structure analyses of amorphous melt-spun Fe-Zr-(B, Si) alloys and mechanically alloyed Fe-Zr powders .....   | 59  |
| W. Biegel, H. U. Krebs, C. Michaelsen, H. C. Freyhardt (Göttingen, F.R.G.) and E. Hellstern (Erlangen, F.R.G.)  |     |
| Early stages of the solid state amorphization of crystalline layers .....   | 63  |
| K. Samwer (Pasadena, CA, U.S.A.), H. Schroder (Göttingen, F.R.G.) and K. Pampus (Aarhus, Denmark)   |     |
| Formation of amorphous alloys by solid state reactions .....  | 71  |
| R. B. Schwarz (Los Alamos, NM, U.S.A.)  |     |
| Determination of the free energy of equilibrium and metastable phases in the Cu-Zr system .....   | 79  |
| R. Bormann, F. Gärtner and F. Haider (Göttingen, F.R.G.)  |     |
| A differential scanning calorimetry study of solid state amorphization in multilayer Ni/Zr .....  | 83  |
| R. J. Highmore, R. E. Somekh, A. L. Greer and J. E. Evetts (Cambridge, U.K.)  |     |
| Solid state interdiffusion reactions of Ni/Zr diffusion couples .....   | 87  |
| W. J. Meng, C. W. Nieh, E. Ma, B. Fultz and W. L. Johnson (Pasadena, CA, U.S.A.)  |     |
| Strain-driven solid state amorphization of binary transition metal alloys .....   | 93  |
| A. Blatter and M. von Allmen (Bern, Switzerland)  |     |
| Ion irradiation during a solid state amorphization reaction .....   | 97  |
| K. Pampus, J. Böttiger, K. Dyrbye, B. Trop (Aarhus, Denmark) and K. Samwer (Göttingen, F.R.G.)  |     |
| Solid state amorphization in Ni/Ti multilayers .....  | 101 |
| J. F. Jongste, M. A. Hollanders, B. J. Thijsse and E. J. Mittemeijer (Delft, The Netherlands)   |     |
| Rapid melting and quenching with microsecond current pulses .....   | 105 |
| B. M. Clemens (Warren, MI, U.S.A.) and R. M. Gilgenbach (Ann Arbor, MI, U.S.A.)   |     |
| The solid state reaction in multilayers studied by X-ray absorption spectroscopy .....  | 109 |
| C. Brouder, G. Krill (Vandoeuvre lès Nancy, France), E. Dartyge, A. Fontaine, G. Tourillon (Orsay, France),<br>P. Guilmin and G. Marchal (Vandoeuvre lès Nancy, France) |     |
| Study of the formation of the amorphous phase in metallic systems by mechanical alloying .....  | 115 |
| R. Sundaresan, A. G. Jackson, S. Krishnamurthy and F. H. Froes (Dayton, OH, U.S.A.)   |     |
| Thermal properties of mechanically alloyed Ni <sub>50</sub> Ti <sub>50</sub> powders .....  | 121 |
| L. Battezzati (Turin, Italy), G. Cocco, L. Schiffini (Sassari, Italy) and S. Enzo (Venice, Italy)   |     |
| Amorphization of cobalt-rich magnetic alloys by high energy ball milling .....  | 125 |
| H. Kimura (Yokosuka, Japan), F. Takada (Tokyo, Japan) and W.-N. Myung (Yokosuka, Japan)   |     |
| Formation of amorphous phase by solid state reaction in elemental composites prepared by cold rolling .....   | 129 |
| F. Bordeaux, A. R. Yavari and P. Desre (Saint-Martin-d'Hères, France)   |     |
| Amorphous transition metal-zirconium alloys prepared by milling .....   | 133 |
| A. W. Weeber and H. Bakker (Amsterdam, The Netherlands)   |     |

## 2. FORMATION AND STRUCTURE OF AMORPHOUS ALLOYS

|   |     |
|---|-----|
| Metastability of amorphous phases and its application to the consolidation of rapidly quenched powders .....  | 137 |
| P. H. Shingu (Kyoto, Japan)   |     |
| On the operative mechanisms in the solidification of undercooled melts .....  | 143 |
| K. S. Dubey, P. Ramachandrarao and S. Lele (Varanasi, India)  |     |
| Crystal nucleation and glass-forming ability of Cu-Zr in a containerless state .....  | 147 |
| F. Gillessen and D. M. Herlach (Köln, F.R.G.)   |     |
| Amorphous alloy powders with dispersed carbonitride particles prepared by high pressure nitrogen atomization .....  | 153 |
| A. Inoue, T. Masumoto, T. Komura, D. Sun and M. Oguchi (Sendai, Japan)  |     |
| Large-angle neutron scattering studies of amorphous $\text{Fe}_x\text{Ti}_{1-x}$ alloys and hydrides .....  | 157 |
| B. Rodmacq, F. Lançon, A. Chamberod and M. Maret (Grenoble, France)   |     |
| Phase separation in amorphous Zr-Fe alloys determined by anomalous X-ray scattering and magnetization measurements .....                                      | 163 |
| H. U. Krebs, W. Biegel (Göttingen, F.R.G.), A. Bienenstock (Menlo Park, CA, U.S.A.), D. J. Webb and T. H. Geballe (Stanford, CA, U.S.A.)                      |     |
| The X-ray absorption near-edge structure (XANES) - a criterion for modelling the three-dimensional structure of amorphous $\text{Fe}_{80}\text{B}_{20}$ ..... | 169 |
| P. Kizler, P. Lamparter and S. Steeb (Stuttgart, F.R.G.)  |     |
| Irradiation-induced defects in amorphous $\text{Fe}_{40}\text{Ni}_{40}\text{P}_{20}$ .....  | 173 |
| F. P. Schimansky, R. Gerling and R. Wagner (Geesthacht, F.R.G.)   |     |
| Glass-forming conditions during laser surface melting .....   | 177 |
| D. G. Morris (Neuchâtel, Switzerland)   |     |
| Rapidly quenched composite materials .....  | 181 |
| J. Latuszkiewicz, P. G. Zieliński and A. Załuska (Warsaw, Poland)   |     |
| The effects of the softness of the interionic pair potential on the liquid-glass transition .....   | 187 |
| S. K. Lai (Chung-Li, Taiwan)  |     |
| The glass temperatures of variously quenched Pd-Cu-Si glasses .....   | 191 |
| H. W. Gronert (Duisburg, F.R.G.), F. Gillessen and D. M. Herlach (Köln, F.R.G.)   |     |
| Influence of heterogeneous nuclei on the solidification of $\text{Pd}_{77.5}\text{Cu}_6\text{Si}_{16.5}$ glassy alloy .....                                   | 195 |
| C. S. Kiminami (Campina Grande, Brazil)   |     |
| Solid-liquid interfacial energy of Pd-16.5at.%Si glasses .....  | 199 |
| Y. Nishi, A. Igarashi, Y. Kubo, N. Ninomiya and K. Mikagi (Hiratsuka, Japan)  |     |
| Influence of cooling characteristics on glass formation of metallic systems .....   | 203 |
| R. Sellger, W. Löser (Dresden, G.D.R.) and G. Richter (Riesa, G.D.R.)   |     |
| Alloying effects on the processing and properties of melt spun nickel-metalloid ribbons .....   | 207 |
| R. P. I. Adler and S. C. Hsu (Waltham, MA, U.S.A.)  |     |
| On liquid-glass transitions of binary alloys .....  | 215 |
| D. H. Li and S. Wang (Waterloo, Ontario, Canada)  |     |
| Electronic aspects of formation of metallic glasses .....   | 219 |
| P. Hicter, C. Colinet and A. Pasturel (Saint-Martin-d'Hères, France)  |     |
| Changes in short-range order resulting from hydrogen absorption of $\text{Fe}_2\text{Ce}$ and $\text{Fe}_2\text{Er}$ metallic glasses .....                   | 223 |
| M. Matsuura (Miyagi, Japan), K. Fukamichi, H. Komatsu, K. Aoki, T. Masumoto and K. Suzuki (Sendai, Japan)   |     |
| Neutron and X-ray small-angle scattering with Fe-based metallic glasses .....   | 227 |
| P. Lamparter, S. Steeb (Stuttgart, F.R.G.), D. M. Kroeger and S. Spooner (Oak Ridge, TN, U.S.A.)  |     |
| Measurements of the phonon density of states of amorphous $\text{Ni}_{0.95}\text{Tb}_{0.05}$ .....  | 231 |
| R. Fainchtein and J. S. Lannin (University Park, PA, U.S.A.)  |     |
| <b>3. CRYSTALLIZATION OF AMORPHOUS ALLOYS</b>   |     |
| Surface crystallization of metallic glasses .....   | 233 |
| U. Köster (Dortmund, F.R.G.)  |     |
| The local value of the Avrami exponent: a new approach to devitrification of glassy metallic ribbons .....  | 241 |
| A. Calka and A. P. Radlinski (Canberra, Australia)  |     |
| Effects of ultrahigh pressure on the crystallization temperature of $\text{Ni}_{80}\text{P}_{20}$ amorphous alloys .....                                      | 247 |
| T. Imura (Nagoya, Japan), M. Suwa (Ibaragi, Japan) and K. Fujii (Nagoya, Japan)   |     |
| The effect of picosecond laser treatment on the stability kinetics and the mode of crystallization of metallic glassy ribbons .....                           | 253 |
| A. P. Radlinski, A. Calka and B. Luther-Davis (Canberra, Australia)   |     |
| Crystallization of amorphous metal matrix composites .....  | 259 |
| W.-N. Myung, S. Yang (Kwang ju, Korea), H. Kimura (Yokosuka, Japan) and T. Masumoto (Sendai, Japan)   |     |
| Crystallization behavior of amorphous Fe-Mo alloys .....  | 265 |
| J. H. Hsu, S. T. Chou, Y. D. Yao (Taipei, Taiwan), C. L. Chien and S. H. Liou (Baltimore, MD, U.S.A.)   |     |



|  |     |
|--|-----|
| Preparation of refractory transition metal-metalloid amorphous alloys and their thermal stability .....  | 269 |
| T. Yoshitake, Y. Kubo and H. Igarashi (Kanagawa, Japan)  |     |
| Structural model for commensurate and non-periodic carbides formed by crystallization of amorphous iron-carbon alloys. ....  | 273 |
| E. Bauer Grosse and G. Le Caer (Nancy, France)   |     |
| Embrittlement of Ni-Ti-B glasses during crystallization .....  | 279 |
| N. Merk, D. G. Morris and M. A. Morris (Neuchâtel, Switzerland)  |     |
| Crystal nucleation in glass-forming alloys. ....   | 285 |
| A. L. Greer (Cambridge, U.K.)  |     |
| Measurement and interpretation of glass transition temperature $T_g$ in a number of metallic systems .....   | 291 |
| H. Baxi and T. B. Massalski (Pittsburgh, PA, U.S.A.)   |     |
| A new concept of effective temperature to correlate isothermal and anisothermal continuous temperature-time-transformation curves—application to crystallization of Fe-Ni-B amorphous alloys .....   | 297 |
| Ch. Cunat (Hanau, F.R.G.)  |     |
| The glass transition, crystallization and melting in Au-Pb-Sb alloys. ....   | 301 |
| M. C. Lee (Pasadena, CA, U.S.A.), H. J. Fecht (Madison, WI, U.S.A.), J. L. Allen (Pasadena, CA, U.S.A.),<br>J. H. Perepezko, K. Ohsaka (Madison, WI, U.S.A.) and W. L. Johnson (Pasadena, CA, U.S.A.)  |     |
| Crystallization of amorphous NiZr <sub>2</sub> .....   | 307 |
| M. Sutton, Y. S. Yang, J. Mainville, J. O. Ström-Olsen, Z. Altounian (Montreal, Canada), G. B. Stephenson and<br>K. F. Ludwig, Jr. (Yorktown Heights, NY, U.S.A.)  |     |
| Transient nucleation in zirconium-based metallic glasses .....   | 313 |
| M. Blank-Bewersdorff and U. Köster (Dortmund, F.R.G.)  |     |
| A comparison between the thermal properties of Ni-Zr amorphous alloys obtained by mechanical alloying and melt-spinning. .   | 317 |
| R. Brüning, Z. Altounian, J. O. Ström-Olsen (Montreal, Canada) and L. Shultz (Erlangen, F.R.G.)  |     |
| A study of thermal relaxation and crystallization of an Fe <sub>81</sub> B <sub>13.5</sub> Si <sub>3.5</sub> C <sub>2</sub> amorphous ribbon .....   | 321 |
| P. K. Roy, K. P. Gupta and D. C. Agrawal (Kanpur, India)   |     |
| Compositional correlations in the crystallization of iron-transition-metal-boron glasses .....   | 325 |
| J. A. Leake and J. E. Rout (Cambridge, U.K.)   |     |
| An X-ray diffraction study of the crystallization characteristics of amorphous Co-B ribbons. ....  | 329 |
| G.-H. Tu and W.-R. Chen (Nanjing, China)   |     |
| The crystallization process of Ni <sub>78</sub> Si <sub>8</sub> B <sub>14</sub> amorphous alloys. ....   | 333 |
| M. D. Baró (Bellaterra, Spain), N. Clavaguera (Barcelona, Spain) and S. Suriñach (Bellaterra, Spain)   |     |
| Crystallization kinetics of Co <sub>88-x</sub> Fe <sub>x</sub> B <sub>20</sub> amorphous alloys .....  | 337 |
| P. Duhai, P. Švec, M. Durečková and G. Ulasák (Bratislava, Czechoslovakia)   |     |
| Crystallization of Ni-B metallic glasses with high boron contents .....  | 343 |
| B. Punge-Witteler and U. Köster (Dortmund, F.R.G.)   |     |
| Differences in crystallization of Fe-Ni-based metallic glasses caused by changes in heating conditions .....   | 347 |
| A. Zahuska and H. Matyja (Warsaw, Poland)  |     |
| Crystallization of amorphous Cu-Ni-P alloys .....  | 351 |
| R. Adlwarth, H. Selke and P. L. Ryder (Bremen, F.R.G.)   |     |
| Crystallization of some iron-based metallic glasses .....  | 355 |
| T. Nagarajan, U. Chidambaram Asari, S. Srinivasan, V. Sridharan and A. Narayansamy (Madras, India)   |     |
| Influence of copper additions on the crystallization of amorphous Fe-Bi-Si alloys .....  | 361 |
| S. Budurov, T. Spassov (Sofia, Bulgaria), G. Stephani, S. Roth and M. Reibold (Dresden, G.D.R.)  |     |
| Crystallization and nucleation mechanisms in well-prepared Ni-Si-B glass .....   | 365 |
| M.-H. Zuercher and D. G. Morris (Neuchâtel, Switzerland)   |     |
| Depth profile of the crystallization of Fe <sub>80</sub> B <sub>20</sub> metallic glass .....  | 369 |
| P. Tlomag, S. J. Pierz, L. J. Paulson and W. E. Brower, Jr. (Carbondale, IL, U.S.A.)   |     |
| A comparative study of the thermal stabilities and crystallization processes of amorphous Zr <sub>0.67</sub> TM <sub>0.33-x</sub> M <sub>x</sub> alloys with<br>TM ≡ Co or Ni, M ≡ P or Si and 0.00 ≤ x ≤ 0.12 by differential scanning calorimetry and X-ray diffraction techniques ..... | 373 |
| K. Jansson and M. Nygren (Stockholm, Sweden)   |     |
| Formation and crystallization of amorphous phases in the Ti-Be-Al system. ....   | 379 |
| L. E. Tanner (Livermore, CA, U.S.A.), L. A. Jacobson (Los Alamos, NM, U.S.A.) and M. E. Wall<br>(Livermore, CA, U.S.A.)  |     |
| Characterization and kinetics of the crystallization of Al-Ni-Si amorphous alloys .....  | 385 |
| J. M. Legresy, M. Audier and P. Guyot (Saint-Martin-d'Heres, France)   |     |
| Neutron diffraction study of the crystallization of hydrogenated Cu-Ti amorphous alloys .....  | 391 |
| B. Rodmacq (Grenoble, France), Ph. Goudeau (Poitiers, France), J. Pannetier and A. Chamberod<br>(Grenoble, France)   |     |

|   |     |
|---|-----|
| The relation between the temperatures of incipient crystallization of the Fe-Si-B amorphous alloys and metal-metalloid bonds .....  | 395 |
| H. Wang and S. Zhang (Shenyang, China)  |     |
| Relationship between crystallization temperature and pre-existing nuclei in amorphous Ni-P alloys .....   | 399 |
| K. Lu and J. T. Wang (Shenyang, China)  |     |
| <b>4. RELAXATION AND DIFFUSION PHENOMENA IN AMORPHOUS ALLOYS</b>  |     |
| Interdiffusion in amorphous metallic artificial multilayers .....   | 403 |
| F. Spaepen (Cambridge, MA, U.S.A.)  |     |
| Tracer diffusion in amorphous alloys .....  | 409 |
| J. Horváth, J. Ott, K. Pfahler and W. Ulfert (Stuttgart, F.R.G.)  |     |
| Diffusion mechanisms in amorphous alloys .....  | 415 |
| W. Frank, J. Horváth and K. Kronmüller (Stuttgart, F.R.G.)  |     |
| Host and hydrogen diffusion in an Ni-Zr metallic glass .....  | 419 |
| B. S. Berry and W. C. Pritchett (Yorktown Heights, NY, U.S.A.)  |     |
| Proton and deuteron NMR in amorphous $\text{TiCuD}_x$ .....   | 427 |
| M. P. Volz, V. P. Bork, P. A. Fedders, R. E. Norberg (St. Louis, MO, U.S.A.), R. C. Bowman, Jr. (Los Angeles, CA, U.S.A.), A. J. Maeland (Morristown, NJ, U.S.A.) and J. S. Cantrell (Oxford, OH, U.S.A.) |     |
| Nuclear magnetic resonance studies of diffusion of hydrogen in amorphous alloys of the type Ni-Zr-P .....   | 431 |
| H. E. Schone, H. C. Hoke, A. Johnson (Williamsburg, VA, U.S.A.), I. Bakonyi, K. Tompa and A. Lovas (Budapest, Hungary)  |     |
| Diffusivity of hydrogen in amorphous $\text{Ni}_{81}\text{P}_{19}$ and $\text{Ni}_{70}\text{Cr}_{6.7}\text{Fe}_{2.5}\text{Si}_{8.0}\text{B}_{12.8}$ alloys .....  | 437 |
| Y. Sakamoto, K. Takao and K. Baba (Nagasaki, Japan)   |     |
| Topological ordering in model metallic glasses .....  | 441 |
| K. Maeda, Y. Mera, S. Kobayashi and S. Takeuchi (Tokyo, Japan)  |     |
| Viscosity and structural relaxation in $\text{Pd}_{40}\text{Ni}_{40}\text{P}_{19}\text{Si}_1$ .....   | 449 |
| C. A. Volkert and F. Spaepen (Cambridge, MA, U.S.A.)  |     |
| Comparison of damping measurement and differential scanning calorimetry as methods of determining the glass transition temperature in metallic glasses .....  | 453 |
| H.-R. Sinning and F. Haessner (Braunschweig, F.R.G.)  |     |
| Evidence for recovery of ductility in an embrittled Fe-B-Si metallic glass .....  | 457 |
| C. J. Small and H. A. Davis (Sheffield, U.K.)   |     |
| Reversible structural relaxation in metallic glasses .....  | 461 |
| Z. Altounian (Montreal, Canada)   |     |
| Gaussian activation energy spectra in reversible and irreversible structural relaxation .....   | 469 |
| J. A. Leake, E. Woldt and J. E. Evetts (Cambridge, U.K.)  |     |
| Structural relaxation of $e^-$ -irradiated amorphous alloys by tunnelling and thermally activated processes .....   | 473 |
| H. Kronmüller, N. Moser, A. Hofmann and W. Gehring (Stuttgart, F.R.G.)  |     |
| Viscous flow in amorphous $\text{Fe}_{78}\text{B}_{13}\text{Si}_9$ alloy .....  | 479 |
| A. R. Bhatti and B. Cantor (Oxford, U.K.)   |     |
| Viscous flow of amorphous alloys under compressive and tensile stresses .....   | 483 |
| J.-T. Wang, B.-Z. Ding, D. Pang, S.-L. Li and G.-S. Li (Shenyang, China)  |     |
| Viscous flow behaviour of the metallic glass $\text{Ni}_{30}\text{Zr}_{70}$ under continuous heating .....  | 487 |
| F.-Q. Zheng (Yunnan, China)   |     |
| Viscoplastic properties of an Fe-Cr-P-C amorphous alloys .....  | 493 |
| A. Bouali and C. Tete (Nancy, France)   |     |
| Relaxation parameters to simulate the changes in magnetostriction in amorphous magnetic alloys .....  | 497 |
| Ch. Cunat, H. R. Hilzinger and G. Herzer (Hanau, F.R.G.)  |     |
| Low temperature internal friction peaks and thermoelastic damping in $\text{Ni}_{78}\text{Si}_8\text{B}_{14}$ and $\text{CoZr}_2$ metallic glasses .....  | 501 |
| H.-R. Sinning, E. Woldt and F. Haessner (Braunschweig, F.R.G.)  |     |
| Resistivity changes during structural relaxation of amorphous $\text{Fe}_{40}\text{Ni}_{40}\text{B}_{20}$ .....   | 505 |
| E. Kokmeijer, E. Huizer, B. J. Thijsse and A. van der Beukel (Delft, The Netherlands)   |     |
| The influence of quenching rate on the relaxation processes in a nearly non-magnetostrictive metallic glass .....   | 509 |
| T. Tarnóczy, A. Lovas and C. Kopasz (Budapest, Hungary)   |     |
| Evidence for chemical decomposition of amorphous $\text{Fe}_{40}\text{Ni}_{40}\text{P}_{20}$ —an investigation by means of small-angle neutron scattering ..  | 515 |
| R. Gerling, F. P. Schimansky and R. Wagner (Geesthacht, F.R.G.)   |     |
| Influence of the induced anisotropy on the magnetic after-effect in amorphous $\text{Co}_{58}\text{Ni}_{10}\text{Fe}_5\text{Si}_{11}\text{B}_{16}$ alloy .....  | 519 |
| H.-Q. Guo (Beijing, China), H. Kronmüller and N. Moser (Stuttgart, F.R.G.)  |     |
| Structural relaxation in Pd-Ge metallic glass .....   | 523 |
| J. R. Cost (Los Alamos, NM, U.S.A.), J. T. Stanley (Tempe, AZ, U.S.A.) and B. J. Thijsse (Delft, The Netherlands)   |     |

|  |     |
|--|-----|
| A new method for measuring magnetic after-effect .....   | 529 |
| Q. Wang and K.-Y. Ho (Sheyang, China)  |     |
| Measurements of structural relaxation in amorphous $\text{Fe}_{40}\text{Ni}_{40}\text{B}_{40}$ by differential scanning calorimetry..... | 533 |
| S. Suriñach (Bellaterra, Spain), N. Clavaguera (Barcelona, Spain) and M. D. Baró (Bellaterra, Spain)                                     |     |
| Kinetic analysis of structural relaxation in FeNiCrPB amorphous alloys by electrical resistivity measurements.....                       | 537 |
| M. Baricco, G. Riontino, P. Allia and F. Vinai (Torino, Italy)   |     |
| Anelastic relaxation in amorphous $\text{Pd}_{39.5}\text{Ni}_{39.5}\text{P}_{21}$ .....  | 541 |
| P. M. Bronsveld, J. Groote Schaarsberg, J. Nauta and J. Th. M. de Hosson (Groningen, The Netherlands)                                    |     |
| An algorithm to calculate activation energy spectra for structural relaxation in amorphous alloys .....                                  | 545 |
| W. de Ceuninck, R. Zhao, G. Knuyt, L. de Schepper and L. M. Stals (Diepenbeek, Belgium)  |     |
| AUTHOR INDEX.....  | 549 |
| A Cumulative Subject Index covering Volumes 97-99 will appear in Volume 99.  |     |

